

MODIRIAT TADAROKAT VA SAKHT TOOS CO.


mts toos co. Mud System



Mud System

SEVEN (7) TANK MUD SYSTEM HAVING A TOTAL CAPACITY OF 2570 BBLS WITH MUD LEVEL ONE FOOT BELOW TOP OF TANK AND FOUR(4) TANK WATER HAVING A TOTAL CAPACITY OF 2000 BBLS.

TANK GENERAL ARRANGEMENT AS FOLLOWING:



ALL SEVEN TANKS SHOULD BE RUNNER OIL FIELD TYPE SKIDS 9 FEET, WIDE WITH OIL FIELD TYPE SKID ENDS FOR TAILBORDING. TOP OF SKID PLATED WITH 3/8" PLATE, SLOPED 6" TOWARDS CLEAN OUT GATES.(10mm) SKID EXTENSIONS DECKED WITH ST-52,3/8" CHECKERED PLATE.

TANK WALLS RIMMED WITH 6" MUD AND WATER LINES FOR CEMENT UNIT SUPPLY, MUD GUNNING AND BACK UP SUPERCHARGING.



TANK SIDE END WALLS AND PARTITIONS SHOULD BE MADE BY ST-52, 5/16" PLATE.

TANK SIDE AND END WALLS SHOULD ROBERDS « V » CRIMP DESIGN FOR RIGIDITY AND EASIER CLEANING.

TANK WALLS SHOULD BE DESIGEND FOR STORAGE MUD WITH 21 PPG DENSITIES.

TANK CONNECTIONS HAMMER SEAL PIT UNION TYPE.

COMPLETED WITH ALL NECESSARY VALVES, FITTING, UNIONS AND DRESSER SLEEVE



ALL TRANSITION AND LINKING PIPES SCHEDULE ARE A 106-SCH 80 ALL BUTTERFLY VALVES ARE FROM SANAM'S PRODUCTS DRESSER SLEEVES PRESSURE RATINGS ARE 1000 PSI HAMMER UNIONS PRESSURE RATINGS ARE 2000 PSI TANK SIDES AND SKIDS PLATES ARE ST-52 FLANGES AND PLUG VALVES ARE FROM CLASS 150 GALVANIZED CHECKERD GRATINGS WITH 4CM STRAPS AND 6X5 THICKNESS



Honors Certificates

The relevent certificates of authorization obtaibed by the company







(A)

Germanischer Lloyd

Fabrication of Land Oil Drilling Rig Land OI Drilling Rig,No:142 National Iranian Drilling Company(NIDC)

> consideration notes and punc on of the Land Oil Dnilling Rig.

Fabrication Certificate

ND-11-C-034/LA,(REV.01)

Factory: 5 Km - Kalat Road - Mashhad

Tel: +98 511 2605550 - 2605552 Fax: +98 511 2605553



MODIRIAT TADAROKAT VA SAKHT TOOS CO